

Sub	stitute for form 1449A	B/PTO		Complete If Known		
				Application Number	10/680,963	
11	IFORMATI	ON DI	SCLOSURE	Filing Date	October 7, 2003	
S	TATEMEN	T BY	APPLICANT	First Named Inventor	Piotr Bobrowicz	
				Art Unit	1636	
	(Use as man	y sheets a:	necessary)	Examiner Name	Not yet assigned	
Sheet	1	of	12	Attorney Docket Number	GFI/108 CIP	

U.S. PATENT DOCUMENTS						
Examiner Initials*	Cite · No.¹	Document Number Number-Kind Code ² (# known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	
/CQ/	AA	4,414,329	11-08-1983	Wegner		
1	AB	4,617,274	10-14-1986			
	AC	4,683,293		Craig		
	AD	4,775,622		Hitzeman et al.		
	AE	4,808,537	02-28-1989	Stroman et al.		
	AF	4,812,405	03-14-1989	Lair et al.		
	AG	4,818,700	04-04-1989	Cregg et al.		
	AH	4,837,148	06-06-1989	Cregg		
	Al	4,855,231	08-08-1989	Stroman et al.		
	AJ	4,857,467	08-15-1989	Sreekrishna et al.		
	AK	4,879,231	11-07-1989	Stroman et al.		
	AL	4,882,279	11-21-1989	Cregg		
	AM	4,885,242	12-05-1989	Cregg	-	
	AN	4,925,796	05-15-1990	Bergh et al.		
	AO	4,929,555		Cregg et al.		
	AP	4,935,349		McKnight et al.		
	AQ	5,002,876	03-26-1991	Sreekrishna et al.	· · · · · · · · · · · · · · · · · · ·	
	AR	5,004,688	04-02-1991	Craig et al.		
	AS	5,032,516	07-16-1991	Cregg		
	AT	5,032,519		Paulson et al.		
	AU	5,047,335		Paulson et al.		
	AV	5,122,465	06-16-1992			
	AW	5,135,854		MacKay et al.		
	AX	5,166,329	11-24-1992	Cregg		
	AY	5,324,663	06-28-1994	Lowe	· · · · · · · · · · · · · · · · · · ·	
	AZ	5,595,900		Lowe		
	AA1	5,602,003		Pierse et al.		
	AB1	5,707,828		Sreekrishna et al.		
	AC1	5,766,910		Fukuda et al.		
	AD1	5,834,251	11-10-1998	l'		
	AE1	5,849,904		Gerardy-Schahn et al.		
	AF1	5,854,018		Hitzemane et al.		
	AG1	5,861,293	01-19-1999			
	AH1	5,910,570		Elhammer et al.		
	Al1	5,945,314		Prieto et al.		
	AJ1	5,945,322		Gotschlich		
	AK1	5,955,347		Lowe		
	AL1	5,955,422		Lin		
	AM1	5,962,294		Paulson et al.		
	AN1	6,017,743		Tsuji et al.		
	AO1	6,096,512		Elhammer et al.		
V	AP1	6,204,431		Prieto et al.		

	Examiner Signature	/Celine Qian/	Date Considered	04/10/2007
--	-----------------------	---------------	--------------------	------------

Sul	Substitute for form 1449A/B/PTO			Complete If Known		
				Application Number	10/680,963	
11	NFORMATION	N DIS	SCLOSURE	Filing Date	October 7, 2003	
S	TATEMENT	BY A	APPLICANT	First Named Inventor	Piotr Bobrowicz	
				Art Unit	1636	
	(Use as many sh	eets as	necessary)	Examiner Name	Not yet assigned	
Sheet	2	of	12	Attorney Docket Number	GFI/108 CIP	

/UU/ IAQ1** 16.300.113	10-09-2001 Landry	
	TO CO DOCK CONTROL	. 1
/CQ/ AR1 6,602,684	08-05-2003 Umaña	

			FOREI	GN PATENT	DOCUMENTS		
Exan Initia	niner Is*	Cite No.1	Foreign Patent Document Country Code ³ -Number ⁴ -Kind Code ⁵ (# known)	Publication Date MM-OD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	Το.
_/(Ω	BA**	EP 0 905 232 A1	03-31-1999	Kirin Beer Kabushiki Kaisha		М
		BB**	EP 1 054 062 A1	11-22-2000	Kyowa Hakko Kogyo Co., Ltd.		
			EP 1 211 310 A	06-05-2002	Kainuma Mam		
		BD**	WO 96/21038 A	07-11-1996	Maras Marleen, et al		
			WO 98/05768	02-12-1998	The Austin Research Institute		
ll		BF**	WO 99/31224	06-24-1999	National Research Council of Canada		
		BG**	WO 99/54342	10-28-1999	Umana et al.		
		BH**	WO 01/14522 A1	03-01-2001	Kirin Brewery et al.		Н
		BI**	WO 01/25406	04-12-2001	University of Victoria Innovation & Development Corp.		
		BJ**	WO 02/00856	01-01-2002	Flanders Interuniversity Institute for Biotechnology		
		BK**	WO 02/00879	01-03-02	Glycofi Inc.		
		BL	WO 03/011878	08-05-2002	Glycart Biotechnology		
			WO 03/031464 A	4-17-2003	Chen XI, et al		
\Box			WO 04/003194 A	01-08-2004	Flanders Interuniversity Inst		
\square		BO**	JP 8-336387	12-24-1996	Murakami Koji et al.		

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. Applicant's unique citation designation number (optional). See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. Enter Office that issued the document, by the two-letter code (WiPO Standard ST.3). For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. Applicant is to place a check mark here if English language Translation is attached.

	NON PATENT LITERATURE DOCUMENTS					
Examiner Initials	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²			
/CQ/	CA**	Abeijon et al., "Molecular Cloning of the Golgi apparatus uridine diphosphate-N-acetylglucosamine transporter from Kluyveromyces lactis," Proc. Natl. Acad. Sci. USA 93:5963-5968 (1996).				
/CQ/	CB**	Adachi et al., "Mus Musculus Adult Male Testis cDNA, Riken full length enriched library, clone: 4931438M07 product: mannosidase 2, alpha 2, full insert sequence" XP002293645, Database accession no. AK029913 Abstract, Database EMBL, December 21, 2002				

Examiner	" 10 II O' 1	Date	04/40/0007
Signature	/Celine Qian/		04/10/2007
Signature	700mic diam	Considered	0 11 10/2007

Sur	estitute for form 1449A/B	MPTO		Complete If Known		
"				Application Number	10/680,963	
l in	NFORMATIC	ON DISC	CLOSURE	Filing Date	October 7, 2003	
S	TATEMENT	BY AF	PLICANT	First Named Inventor	Piotr Bobrowicz	
	•••			Art Unit	1636	
	(Use as many	sheets as ne	cessary)	Examiner Name	Not yet assigned	
Sheet	3	of	12	Attorney Docket Number	GFI/108 CIP	

/CC	/ג	cc	Alani et al., "A Method for Gene Disruption that Allows Repeated Use of URA3 Selection in the Construction of Multiply Disrupted Yeast Strains," Genetics 116, 541-545, August, 1987.					
·	CD**		Altman et al., "Processing of Asparagine-linked Oligosaccharides in Insect Cells: Evidence for Alpha-Mannosidase II," <i>Glycoconj. J</i> 12(2):150-155 (1995).					
		CE**	Altman et al., "Insect cells as hosts for the expression of recombinant glycoproteins," <i>Glycoconj. J.</i> 16(2):109-123 (1999).					
		CF**	Andersen et al., "The Effect of Cell-Culture Conditions on the Oligosaccharide Structures of Secreted Glycoproteins," Curr Opin Biotechnol, 5(5):546-549, October 1994.					
		cg						
		CH**	Bardor et al., "Analysis of the N-glycosylation of recombinant glycoproteins produced in transgenic plants," <i>Trends in Plant Science</i> 4(9): 376-380 (1999)					
		CI**	Beaudet et al., "High-level expression of mouse Mdr3 P-glycoprotein in yeast Pichia pastoris and characterization of ATPase activity," <i>Methods Enzymol</i> 292: 397-413 (1998)					
		CJ••	Berka et al., "The Filamentous Fungus Aspergillus-Niger Var Awamori as Host for the Expression and Secretion of Fungal and Non-Fungal Heterologous Proteins," Abstr Papers Amer Chem Soc 203: 121-BIOT (1992)					
		CK**	Berninsone et al., "The Golgi Guanosine Diphophatase is Required For Transport of GDP-Mannose Into the Lumen of Saccharomyces cerevisiae Golgi Vesicles," J. Biol. Chem., 269(1):207-211, January, 1994.					
		CL**	Berninsone et al., "Regulation of yeast Golgi glycosylation. Guanosine diphosphatase functions as a homodimer in the membrane," <i>J. Biol. Chem</i> 270(24): 14564-14567 (1995).					
		CM**	Berninsone et al., "Functional Expression of the Murine Golgi CMP-Sialic Acid Transporter in Saccharomyces cerevisiae," J. Biol. Chem. 272(19):12616-12619, May, 1997.					
		CN**	Bianchi et al., "Transformation of the yeast <i>Kluyweromyces lactis</i> by new vectors derived from the 1.6 μm circular plasmid pKD1," <i>Current Genetics</i> , 12:185-192, 1987.					
V	/	co	Boehm et al., "Disruption of the KEX1 Gene in <i>Pichia Pastoris</i> Allows Expression of Full-Length Murine and Human Endostatin," <i>Yeast</i> , 15:563-572 (1999).					

Examiner Signature	/Celine Qian/	Date Considered	04/10/2007
			

Sut	estitute for form 1449A/B/F	PTO OT		Complete If Known		
"	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			Application Number	10/680,963	
11	NFORMATIO	N DI	SCLOSURE	Filing Date	October 7, 2003	
S	TATEMENT	BY /	APPLICANT	First Named Inventor	Piotr Bobrowicz	
				Art Unit	1636	
	(Use as many s	heets as	necessary)	Examiner Name	Not yet assigned	
Sheet	4	of	12	Attorney Docket Number	GFI/108 CIP	

/CQ/	CP**	Bonneaud et al., "A family of low and high copy replicative, integrative and single-stranded S. cerevisiae/E. coli shuttle vectors," Yeast 7(6): 609-615 (1991).	
CQ**		Bretthauer et al., "Glycosylation of Pichia pastoris-derived proteins," Biotechnol Appl Biochem 30(Pt 3): 193-200 (1999).	
	CR"	Bretthauer et al., "Genetic engineering of Pichia pastoris to humanize <i>N</i> -glycosylation of proteins," <i>TRENDS in Biochem</i> , 21(11): 459-462 (2003).	
	CS**	Brockhausen et al., "Control of glycoprotein synthesis. The use of oligosaccharide substrates and HPLC to study the sequential pathway for <i>N</i> -acetylglucosaminyltransferases I, II, III, IV, V and VI in the biosynthesis of highly branched <i>N</i> -glycans by hen oviduct membranes," Biochem. Cell Biol. 66:1134-1151 (1988).	
	CT**	Callewaert et al., "Use of HDEL-Tagged <i>Trichoderma reesei</i> Mannosyl Oligosaccharide 1,2∀-D-Mannosidase for <i>N</i> -glycan Engineering in <i>Pichia pastoris</i> ," FEBS Letters, 503(2-3):173-8, 2001.	
	CU**	Cereghino et al., "Heterologous protein expression in the methylotrophic yeast <i>Pichia pastoris</i> ," <i>FEMS Microbiology Reviews</i> , 24(1): 45-66 (2000).	
	CV**	Cereghino et al., "New selectable marker/auxotrophic host strain combinations for molecular genetic manipulation of <i>Pichia pastoris</i> ," <i>Gene</i> , 263:159-169 (2001).	
	CW**	Chandrasekaran et al., "Purification and Properties of Alpha-D-Mannose:beta-1,2-N-acetylglucosaminyl-transferases and alpha-D-Mannosidases from Human Adenocarcinoma," Cancer Res., 44(9):4059-68, September, 1984.	
	CX**	Chiba et al., "Production of Human Compatible High Mannose-type (Man₅GlcNAc₂) Sugar Chains in <i>Saccharomyces cerevisiae,</i> " <i>J. Biol. Chem.</i> , 273(41):26298-26304, October, 1998.	
	CY	Choi et al., "Use of combinatroial genetic libraries to humanize N-linked glycosylation in the yeast <i>Pichia pastoris</i> ," <i>Proc. Natl. Acad. Sci.</i> USA 100(9):5022-5027, April , 2003.	
	CZ**	Chui et al., "Genetic Remodeling of Protein Glycosylation in vivo Induces Autoimmune Disease," <i>Proc. Natl. Acad. Sci.</i> , USA 98:1142-1147, January, 2001.	
	CA1"	Chui et al., "Alpha-mannosidase-II Deficiency Results in Dyserythropoiesis and Unveils and Alternate Pathway in Oligosaccharide Biosynthesis," Cell, 1997 July 11; 90(1):157-67.	·
V	CB1"	Daniel et al, "Mammalian Alpha-Mannosidases—Multiple Forms but a Common Purpose?", Glycobiology, 4, 551-566, October 1994.	

Examiner Signature	/Celine Qian/	Date Considered	04/10/2007	

Suit	stitute for form 1449A/B/PT	0		Complete If Known		
00.		_		Application Number	10/680,963	
II.	IFORMATION	I DI	SCLOSURE	Filing Date	October 7, 2003	
S	TATEMENT E	3Y /	APPLICANT	First Named Inventor	Piotr Bobrowicz	
				Art Unit	1636	
	(Use as many sho	eets as	s necessary)	Examiner Name	Not yet assigned	
Sheet	. 5	of	12	Attorney Docket Number	GFI/108 CIP	

/CQ/	CC1"	Davidson et al., "A PCR-Based Strategy to Generate Integrative Targeting Alleles With Large Regions of Homology," <i>Microbiology</i> , 148 (Pt 8):2607-15).	
	CD1**	Dente, "Human alpha-1-acid glycoprotein genes," <i>Prog. Clin. Biol. Res</i> 300:85-98 (1989).	
	CE1**	Duvet et al., "Cytosolic Deglycosylation Process of Newly Synthesized Glycoproteins Generates Oligomannosides Possessing One GlcNAc Residue at the Reducing End," <i>Biochem J.</i> , 335, 1998, 389-396.	
	CF1** Eades et al., "Characterization of the Class I alpha-Mannosidase Gene Family in the Filamentous Fungus Aspergillus Nidulans," <i>Gene</i> , 2000, Se 5; 255(1):25-34.		
	CG1"	Eckhardt et al., "Molecular Cloning of the Hamster CMP-Sialic Acid Transporter," Eur. J. Biochem., 248(1):187-192 (1997).	
	CH1**	Foster et al., "Cloning and Sequence Analysis of GmII, a Drosophila Melanogaster Homologue of the cDNA Encoding Murine Golgi alpha-Mannosidase II," <i>Gene</i> 154 (1995) 183-186.	
	CI1"	Gleeson, Paul A. "Targeting of Proteins to the Golgi Apparatus," <i>Histochem</i> . <i>Cell Biol.</i> , 109:517-532 (1998).	
	CJ1**	Gonzalez, Daniel S et al: "The Alpha-Mannosidases: Phylogeny and Adaptive Diversification" Molecular Biology and Evolution, vol.17, no.2, February 2000, pages 292-300, XP002293609 ISSN: 0737-4038	
	CK1**	Graham et al., "Compartmental Organization of Golgi-specific Protein Modification and Vacuolar Protein Sorting Events Defined in Yeast sec18 (NSF) Mutant," J. Cell. Biol., 114(2): 207-218 (1991).	
	CL1**	Grard et al., "Oligomannosides or Oligosaccharide-lipids as Potential Substrates for Rat Liver Cytosolic ∀-D-Mannosidase," <i>Biochem. J.</i> , 316: 787-792 (1996)	
	CM1**	Guillen et al., "Mammalian Golgi apparatus UDP-N-acetylglucosamine transporter: Molecular Cloning by Phenotypic Correction of a Yeast Mutant," <i>Proc. Natl. Acad. Sci. USA</i> , 95(14):7888-7892 (1998).	
		Hamilton et al., "Production of Complex Human Glycoproteins in Yeast," Science 301:1244-1246 (2003).	_
		Harkki et al., "A Novel Fungal Express System – Secretion of Active Calf Chymosin from the Filamentous Fungus Trichoderma-Reesei," <i>Bio-Tech</i> 7:596-603 (1989).	
W	CP1**	Harris B.R.: "Caenorhabditis Elegans Cosmid F58H1" XP002293610, Protein F58H1.1, Abstract, Databaase EMBL 13 July 1996	

Examiner Signature /Celine Qian/ Date Considered 04/10/20	07
---	----

Sul	ostitute for form 1449A/B/P	то		Complete If Known		
				Application Number	10/680,963	
11	NFORMATIO	N DI	SCLOSURE	Filing Date	October 7, 2003	
S	TATEMENT	BY A	APPLICANT	First Named Inventor	Piotr Bobrowicz	
				Art Unit	1636	
	(Use as many s	heets as	necessary)	Examiner Name	Not yet assigned	
Sheet	6	of	12	Attorney Docket Number	GFI/108 CIP	

/cq	2/	Ichishima et al., "Molecular and Enzymic Properties of Recombinant 1,2-∀-Mannosidase from <i>Aspergillus saitoi</i> Overexpressed in <i>Aspergillus oryzae</i> Cells," 1999; <i>Biochem. J.</i> , 339(Pt 3): 589-597.	
	CR1**	Ishida et al., "Molecular Cloning and Functional Expression of the Human Golgi UDP-N-Acetylglucosamine Transporter," J. Biochem., 126(1):68-77 (1999).	
		Jarvis et al., "Isolation and Characterization of a Class II alphamannosidase cDNA from Lepidopteran Insect Cells," <i>Glycobiology</i> , 1997; 7(1):113-127 (1997).	
	CT1**	Jarvis et al., "Engineering N-glycosylation pathways in the baculovirus-insect cell system," Curr Opin Biotechnol 9(5): 528-33 (1998).	
		Kainuma et al., "Coexpression of α1,2 galactosyltransferase and UDP-galactose transporter efficiently galatosylates <i>N</i> - and <i>O</i> -glycan in Saccharomyces cerevisiae," Glycobiology, 9(2): 133-141 (1999).	
		Kalsner et al., "Insertion into <i>Aspergillus nidulans</i> of functional UDP-GlcNAc: α3-D-mannoside β-1,2- <i>N</i> -acetylglucosaminyl-transferase I, the enzyme catalysing the first committed step from oligomannose to hybrid and complex N-glycans," <i>Glycoconj. J.</i> , 12(3):360-370 (1995).	
		Kawar et al., "Insect Cells Encode a Class II ∀-Mannosidase with Unique Properties," <i>J. Biol. Chem.</i> , 276(19):16335-16340 (2001).	
		Khatra et al., "Some kinetic properties of human milk galactosyltransferase," <i>Eur. J. Biochem.</i> 44:537-560 (1974).	
	CY1**	Krezdorn et al., "Human β1,4 galactosyltransferase and α2,6 sialytransferase expressed in <i>Saccharomyces cerevisiae</i> are retained as active enzymes in the endoplasmic reticulum," <i>Eur. J. Biochem.</i> , 220(3): 809-17 (1994).	
		Lal et al., "Isolation and Expression of Murine and Rabbit cDNAs Encoding an α1,2-Mannosidase Involved in the Processing of Asparagine-Linked Oligosaccharides," <i>J. Biol. Chem.</i> , 1994. 269(13): 9872-9881.	
	CA2**	Lal et al. "Substrate Specificities of Recombnant Murine Golgi α1,2- Mannosidase IA and IB and Comparison with Endoplasmic Reticulum and Golgi Processing α1,2-Mannosidases," <i>Glycobiology</i> 8(10):981-995, 1998.	
	CB2**	Liao et al., "Cloning, Expression, Purification, and Characterization of the Human Broad Specificity Lysosomal Acid ∀-Mannosidase," <i>J Biol Chem</i> 271(45): 28348-28358.	
$oxed{V}$	CC2**	Lehle and Tanner, "Membrane-Bound Mannosyl Transferase in Yeast Glycoprotein Biosynthesis," <i>Biochem. Biophys. Acta</i> , 350(1): 225-235, 1974.	

Examiner	/Celine Qian/		Date	04/10/2007
Signature	, , , , , , , , , , , , , , , , , , , ,	•	Considered	04/10/2007

Sut	estitute for form 1449A/B/PT	'n		Complete If Known		
				Application Number	10/680,963	
11	NFORMATION	I DI	SCLOSURE	Filing Date	October 7, 2003	
S	TATEMENT E	3Y /	APPLICANT	First Named Inventor	Piotr Bobrowicz	
				Art Unit	1636	
	(Use as many she	eets as	s necessary)	Examiner Name	Not yet assigned	
Sheet	7	of	12	Attorney Docket Number	GFI/108 CIP	

/CQ/	CD2**	Gene of <i>Pichia Stipitis</i> with URA3 and Recovery of the Double Auxotroph," <i>Appl. Microbiol. Biotechnol.</i> , 49 (2): 141-146 (1998).	
		Lussier et al., "The KTR and MNNI mannosyltransferase families of Saccharomyces cerevisiae," Biochimica et Biophysica Acta 1426: 323-334 (1999).	
	CF2**	Malissard et al., "Expression of functional soluble forms of human beta-1, 4-galactosyltransferase I, alpha-2-6-sialyltransferase, and alpha-1, 3-fucosyltransferase VI in the methylotrophic yeast Pichia pastoris," <i>Biochem Biophys Res Commun</i> 267(1): 169-173 (2000).	
		Maras et al., "In vitro conversion of the carbohydrate moiety of fungal glycoproteins to mammalian-type oligosaccharides," Eur. J. Biochem., 249: 701-707 (1997).	
		Maras et al., "Filamentous fungi as production organisms for glycoproteins of bio-medical interest," <i>Glycoconjugate Journal</i> , 16:99-107 (1999)	
	CI2**	Maras et al., "Molecular Cloning and Enzymatic Characterization of a Trichoderma reeisi 1,2-alpha-D-mannosidase," <i>J. Biotechnol., 77(2-3):255-263, 2000.</i>	
	CJ2**	Martinet et al., "Modification of the protein glycosylation pathway in the methylotrophic yeast <i>Pichia pastoris</i> ," <i>Biotechnology Letters</i> 20(12): 1171-1177 (1998).	
	CK2**	Maruyama et al., "A 1,2-alpha-D-Mannosidase from a Bacillus sp.: Purification, Characterization, and Mode of Action," <i>Carbohydrate Res.</i> 251:89-98 (1994).	
	CL2**	McClure "Modeling the growth, survival and death of microorganisims in foods: the UK food micromodel approach," <i>Int. J. Food Microbiol.</i> , 23(3-4) 265-265 (1994).	
	CM2**	McGarvey et al., "Expression of the rabies virus glycoprotein in transgenic tomatoes," <i>Bio-Technology</i> 13(13): 1484-1487 (1995).	
	CN2"	Murine Lysosomal Acid Alpha-Mannosidase," <i>Biochim Biophys Acta</i> , 1336(2): 132-46 (1997).	
		Miele et al., "Glycosylation Properties of the <i>Pichia pastoris</i> -Expressed Recombinant Kringle 2 Domain of Tissue-Type Plasminogen Activator," <i>Biotechnol. Appl. Biochem.</i> , 25:151-157 (1997).	
V	CP2	Moens et al., "Glycoproteins in prokaryotes," Arch. Microbiol. 168(3): 169-175 (1997)	

Examiner	(Coling Cian)	Date	04/40/0007
	/Celine Qian/		I 04/10/2007
Signature	, , , , , , , , , , , , , , , , , , , ,	Considered	0 1/ 10/2007
			1

Sui	stitute for form 1449A/E	R/PTO		Complete If Known		
300	350000 101 101111 1440/40	J., 10		Application Number	10/680,963	
11	FORMATIC	ON DISC	CLOSURE	Filing Date	October 7, 2003	
	TATEMEN			First Named Inventor	Piotr Bobrowicz	
				Art Unit	1636	
	(Use as many	sheets as ne	cessary)	Examiner Name	Not yet assigned	
Sheet	8	of	12	Attorney Docket Number	GFI/108 CIP	

/CQ/		Moremen, "Golgi α-mannosidase II deficiency in vertebrate systems: implications for asparagine-linked oligosaccharide processing in mammals," <i>Biochimica Biophysica Acta</i> , 1573: 225-235 (2002).					
	CR2**	Moremen et al., "Biosynthesis and Modification of Golgi Mannosidase II in HeLa and 3T3 Cells," <i>J. Biol. Chem.</i> , 260(11): 6654-6662 (1985).					
	CS2**	Moremen et al., "Topology of Mannosidase II in Rat Liver Golgi Membranes and Release of the Catalytic Domain by Selective Proteolysis," <i>J. Biol. Chem.</i> , 261(23): 10945-10951 (1986).					
	CT2**	Moremen, "Isolation of a Rat Liver Golgi Mannosidase II Clone by Mixed Oligonucleotide-Primed Amplication of cDNA," <i>Proc. Natl. Acad. Sci.</i> , USA 1989 July;86(14):5276-80.					
		Moremen et al., "Isolation, Characterization, and Expression of cDNAs Encoding Murine ∀-Mannosidase II, a Golgi Enzyme that Controls Conversion of High Mannose to Complex N-Glycans," <i>Journal of Cell Biology</i> , 1991 December; 115(6):1521-34.					
	CV2**	Moremen et al., "Glycosidases of the Asparagine-Linked Oligosaccharide Processing Pathway," <i>Glycobiology</i> 4(2): 113-125 (1994).					
		Nakanishi-Shindo et al., "Structure of the N-Linked Oligosaccharides That Show the Complete Loss of α-1,6-Polymannose Outer Chain from och1, och1 mnn1, and och1 mnn1 alg3 Mutants in Saccharomyces cerevisiae," J. Biol. Chem., 268(35):26338-45 (1993).					
	CX2**	Nakayama et al., "OCHI1 Encodes a Novel Membrane Bound Mannosyltransferase: Outer Chain Elongation of Asparagine-Linked Oligosaccharides," <i>Embo J.</i> , 11(7):2511-19, 1992.					
	CY2**	Nakayama et al. "Substrate Specificity of ∀-1,6-Mannosylatransferase that Initiates N-Linked Mannose Outer Chain Elongation in Saccharomyces cerevisiae", FEBS Lett., 412(3):547-50, 1997.					
	CZ2	Narasimhan, "Control of glycoprotein synthesis. UDP-GlcNAc:glycopeptide beta 4-N-acetylglucosaminyltransferase III, an enzyme in hen oviduct which adds GlcNAc in beta 1-4 linkage to the beta-linked mannose of the trimannosyl core of N-glycosyl oligosaccharides," <i>J. Biol. Chem.</i> 257(17):10235-10242 (1982)					
	CA3**	Nikawa et al., "Structural and functional conservation of human and yeast HCP1 genese which can suppress the growth defect of the Saccharomyces cerevisiae ire15 mutant," Gene 171(1): 107-111 (1996)					
\bigvee	CB3**	Ogawa et al., "Structure and Transcriptional Regulation of Human alpha-Mannosidase IIX (alpha-mannosidase II isotype) Gene," <i>Eur. J. Biochem.</i> , 242(3): 446-453 (1996).					

	-		
Examiner	/O !: O: /	Date	04/10/2007
CXAIIIIIGI	/Celine Qian/		1 04/10/2007
Signature	/Ocinic wan	Conside	red
I Orginator of I			

PTO/SB/08a/b (08-03)
Approved for use through 07/31/2006. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE soond to a collection of information unless it contains a valid OMB control number.

Sul	ostitute for form 1449A/B/P	то		Complete If Known		
				Application Number	10/680,963	
11	NFORMATIO	N DIS	SCLOSURE	Filing Date	October 7, 2003	
S	TATEMENT	BY A	PPLICANT	First Named Inventor	Piotr Bobrowicz	
				Art Unit	1636	
i	(Use as many s	heets as	necessary)	Examiner Name	Not yet assigned	
Sheet	9	of	12	Attorney Docket Number	GFI/108 CIP	

CC3** Oh-eda et al., "Overexpression of the Golgi-Localized Enzyme ∀- mannosidase Ilx in Chinese Hamster ovary Cells Results inthe Conversion of Hexamannosyl-N-acetylchitobiose to Tetramannosyl-N-acetylchitobiose in the N-glycan-processing Pathway," <i>Eur. J. Biochem.</i> , 268: 1280-1288 (2001). CD3** Papac et al., "A high-throughput microscale method to release N-linked oligosaccharides from glycoproteins for matrix-assisted laser desorption/ionization time-of-flight mass spectrometric analysis," <i>Glycobiology</i> 8(5): 445-454 (1998). CE3** Perez et al., "Transport of Sugar Nucleotides into the Lumen of Vesicles Derived from Rat Liver Rough Endoplasmic Reticulum and Golgi Apparatus," <i>Methods in Enzymology</i> , 138: 709-715 (1987). CF3** Puglielli et al., "Reconstitution, Identification, and Purification of the Rat Liver Golgi Membrane GDP-fucose Transporter," <i>J. Biol. Chem.</i> 274(50): 35596-35600 (1999). CG3** Rabouille et al., "The <i>Drosophila GMII</i> Gene Enclodes Golgi α-mannosidase II," <i>J. Cell Sci.</i> , 1999 October,112(Pt 19): 3319-30. CH3** Raput et al., "Analysis of glycoconjugates," <i>Anal Biochem.</i> 283(2): 123-124 (2000). CI3** Ren et al., "Purification and Properties of a Golgi-Derived (alpha 1,2)- mannosidase-I from Baculovirus-infected Lepidopteran Insect Cells (IPLB- SF21AE) with Preferential Activity Toward Mannose6-N- Acetylglucosamine2," <i>Biochem.</i> , 34(8): 2489-2495. CJ3** Roberts, D.B.: "Drosophila Melanogaster GMII gene, exons 1-5" XP002293614, Database accession no. AJ132715, Abstract, Database EMBL CK3** Romero et al., "Ktr1P is an ∀-1,2-mannosyltransferase of <i>Saccharomyces</i>
of Hexamannosyl- <i>N</i> -acetylchitobiose to Tetramannosyl- <i>N</i> -acetylchitobiose in the N-glycan-processing Pathway," <i>Eur. J. Biochem.</i> , 268: 1280-1288 (2001). CD3** Papac et al., "A high-throughput microscale method to release N-linked oligosaccharides from glycoproteins for matrix-assisted laser desorption/ionization time-of-flight mass spectrometric analysis," <i>Glycobiology</i> 8(5): 445-454 (1998). CE3** Perez et al., "Transport of Sugar Nucleotides into the Lumen of Vesicles Derived from Rat Liver Rough Endoplasmic Reticulum and Golgi Apparatus," <i>Methods in Enzymology</i> , 138: 709-715 (1987). CF3** Puglielli et al., "Reconstitution, Identification, and Purification of the Rat Liver Golgi Membrane GDP-fucose Transporter," <i>J. Biol. Chem.</i> 274(50): 35596-35600 (1999). CG3** Rabouille et al., "The <i>Drosophila GMII</i> Gene Enclodes Golgi α-mannosidase II," <i>J. Cell Sci.</i> , 1999 October;112(Pt 19): 3319-30. CH3** Raju et al., "Analysis of glycoconjugates," <i>Anal Biochem.</i> 283(2): 123-124 (2000). CI3** Ren et al., "Purification and Properties of a Golgi-Derived (alpha 1,2)-mannosidase-I from Baculovirus-infected Lepidopteran Insect Cells (IPLB-SF21AE) with Preferential Activity Toward Mannose6-N-Acetylglucosamine2," <i>Biochem.</i> , 34(8): 2489-2495. CJ3** Roberts, D.B.: "Drosophila Melanogaster GMII gene, exons 1-5" XP002293614, Database accession no. AJ132715, Abstract, Database EMBL CK3** Romero et al., "Ktr1P is an ∀-1,2-mannosyltransferase of <i>Saccharomyces</i>
in the N-glycan-processing Pathway, "Eur. J. Biochem., 268: 1280-1288 (2001). CD3*** Papac et al., "A high-throughput microscale method to release N-linked oligosaccharides from glycoproteins for matrix-assisted laser desorption/ionization time-of-flight mass spectrometric analysis," Glycobiology 8(5): 445-454 (1998). CE3*** Perez et al., "Transport of Sugar Nucleotides into the Lumen of Vesicles Derived from Rat Liver Rough Endoplasmic Reticulum and Golgi Apparatus," Methods in Enzymology, 138: 709-715 (1987). CF3*** Puglielli et al., "Reconstitution, Identification, and Purification of the Rat Liver Golgi Membrane GDP-fucose Transporter," J. Biol. Chem. 274(50): 35596-35600 (1999). CG3*** Rabouille et al., "The Drosophila GMII Gene Enclodes Golgi α-mannosidase II," J. Cell Sci., 1999 October;112(Pt 19): 3319-30. CH3*** Raju et al., "Analysis of glycoconjugates," Anal Biochem. 283(2): 123-124 (2000). CI3*** Ren et al., "Purification and Properties of a Golgi-Derived (alpha 1,2)-mannosidase-I from Baculovirus-infected Lepidopteran Insect Cells (IPLB-SF21AE) with Preferential Activity Toward Mannose6-N-Acetylglucosamine2," Biochem., 34(8): 2489-2495. CJ3*** Roberts, D.B.: "Drosophila Melanogaster GMII gene, exons 1-5" XP002293614, Database accession no. AJ132715, Abstract, Database EMBL CK3*** Romero et al., "Ktr1P is an ∀-1,2-mannosyltransferase of Saccharomyces
CD3** Papac et al., "A high-throughput microscale method to release N-linked oligosaccharides from glycoproteins for matrix-assisted laser desorption/ionization time-of-flight mass spectrometric analysis," Glycobiology 8(5): 445-454 (1998). CE3** Perez et al., "Transport of Sugar Nucleotides into the Lumen of Vesicles Derived from Rat Liver Rough Endoplasmic Reticulum and Golgi Apparatus," Methods in Enzymology, 138: 709-715 (1987). CF3** Puglielli et al., "Reconstitution, Identification, and Purification of the Rat Liver Golgi Membrane GDP-fucose Transporter," J. Biol. Chem. 274(50): 35596-35600 (1999). CG3** Rabouille et al., "The Drosophila GMII Gene Enclodes Golgi α-mannosidase II," J. Cell Sci., 1999 October;112(Pt 19): 3319-30. CH3** Raju et al., "Analysis of glycoconjugates," Anal Biochem. 283(2): 123-124 (2000). CI3** Ren et al., "Purification and Properties of a Golgi-Derived (alpha 1,2)-mannosidase-I from Baculovirus-infected Lepidopteran Insect Cells (IPLB-SF21AE) with Preferential Activity Toward Mannose6-N-Acetylglucosamine2," Biochem., 34(8): 2489-2495. CJ3** Roberts, D.B.: "Drosophila Melanogaster GMII gene, exons 1-5" XP002293614, Database accession no. AJ132715, Abstract, Database EMBL CK3** Romero et al., "Ktr1P is an ∀-1,2-mannosyltransferase of Saccharomyces
CD3** Papac et al., "A high-throughput microscale method to release N-linked oligosaccharides from glycoproteins for matrix-assisted laser desorption/ionization time-of-flight mass spectrometric analysis," <i>Glycobiology</i> 8(5): 445-454 (1998). CE3** Perez et al., "Transport of Sugar Nucleotides into the Lumen of Vesicles Derived from Rat Liver Rough Endoplasmic Reticulum and Golgi Apparatus," <i>Methods in Enzymology</i> , 138: 709-715 (1987). CF3** Puglielli et al., "Reconstitution, Identification, and Purification of the Rat Liver Golgi Membrane GDP-fucose Transporter," <i>J. Biol. Chem.</i> 274(50): 35596-35600 (1999). CG3** Rabouille et al., "The <i>Drosophila GMII</i> Gene Enclodes Golgi α-mannosidase II," <i>J. Cell Sci.</i> , 1999 October;112(Pt 19): 3319-30. CH3** Raju et al., "Analysis of glycoconjugates," <i>Anal Biochem.</i> 283(2): 123-124 (2000). CI3** Ren et al., "Purification and Properties of a Golgi-Derived (alpha 1,2)-mannosidase-I from Baculovirus-infected Lepidopteran Insect Cells (IPLB-SF21AE) with Preferential Activity Toward Mannose6-N-Acetylglucosamine2," <i>Biochem.</i> , 34(8): 2489-2495. CJ3** Roberts, D.B.: "Drosophila Melanogaster GMII gene, exons 1-5" XP002293614, Database accession no. AJ132715, Abstract, Database EMBL CK3** Romero et al., "Ktr1P is an ∀-1,2-mannosyltransferase of <i>Saccharomyces</i>
oligosaccharides from glycoproteins for matrix-assisted laser desorption/ionization time-of-flight mass spectrometric analysis," <i>Glycobiology</i> 8(5): 445-454 (1998). CE3** Perez et al., "Transport of Sugar Nucleotides into the Lumen of Vesicles Derived from Rat Liver Rough Endoplasmic Reticulum and Golgi Apparatus," <i>Methods in Enzymology</i> , 138: 709-715 (1987). CF3** Puglielli et al., "Reconstitution, Identification, and Purification of the Rat Liver Golgi Membrane GDP-fucose Transporter," <i>J. Biol. Chem.</i> 274(50): 35596-35600 (1999). CG3** Rabouille et al., "The <i>Drosophila GMII</i> Gene Enclodes Golgi α-mannosidase II," <i>J. Cell Sci.</i> , 1999 October;112(Pt 19): 3319-30. CH3** Raju et al., "Analysis of glycoconjugates," <i>Anal Biochem.</i> 283(2): 123-124 (2000). CI3** Ren et al., "Purification and Properties of a Golgi-Derived (alpha 1,2)-mannosidase-I from Baculovirus-infected Lepidopteran Insect Cells (IPLB-SF21AE) with Preferential Activity Toward Mannose6-N-Acetylglucosamine2," <i>Biochem.</i> , 34(8): 2489-2495. CJ3** Roberts, D.B.: "Drosophila Melanogaster GMII gene, exons 1-5" XP002293614, Database accession no. AJ132715, Abstract, Database EMBL CK3** Romero et al., "Ktr1P is an ∀-1,2-mannosyltransferase of <i>Saccharomyces</i>
desorption/ionization time-of-flight mass spectrometric analysis," Glycobiology 8(5): 445-454 (1998). CE3** Perez et al., "Transport of Sugar Nucleotides into the Lumen of Vesicles Derived from Rat Liver Rough Endoplasmic Reticulum and Golgi Apparatus," Methods in Enzymology, 138: 709-715 (1987). CF3** Puglielli et al., "Reconstitution, Identification, and Purification of the Rat Liver Golgi Membrane GDP-fucose Transporter," J. Biol. Chem. 274(50): 35596-35600 (1999). CG3** Rabouille et al., "The Drosophila GMII Gene Enclodes Golgi α-mannosidase II," J. Cell Sci., 1999 October;112(Pt 19): 3319-30. CH3** Raju et al., "Analysis of glycoconjugates," Anal Biochem. 283(2): 123-124 (2000). CI3** Ren et al., "Purification and Properties of a Golgi-Derived (alpha 1,2)-mannosidase-I from Baculovirus-infected Lepidopteran Insect Cells (IPLB-SF21AE) with Preferential Activity Toward Mannose6-N-Acetylglucosamine2," Biochem., 34(8): 2489-2495. CJ3** Roberts, D.B.: "Drosophila Melanogaster GMII gene, exons 1-5" XP002293614, Database accession no. AJ132715, Abstract, Database EMBL CK3** Romero et al., "Ktr1P is an ∀-1,2-mannosyltransferase of Saccharomyces
Glycobiology 8(5): 445-454 (1998). CE3** Perez et al., "Transport of Sugar Nucleotides into the Lumen of Vesicles Derived from Rat Liver Rough Endoplasmic Reticulum and Golgi Apparatus," Methods in Enzymology, 138: 709-715 (1987). CF3** Puglielli et al., "Reconstitution, Identification, and Purification of the Rat Liver Golgi Membrane GDP-fucose Transporter," J. Biol. Chem. 274(50): 35596-35600 (1999). CG3** Rabouille et al., "The Drosophila GMII Gene Enclodes Golgi α-mannosidase II," J. Cell Sci., 1999 October;112(Pt 19): 3319-30. CH3** Raju et al., "Analysis of glycoconjugates," Anal Biochem. 283(2): 123-124 (2000). CI3** Ren et al., "Purification and Properties of a Golgi-Derived (alpha 1,2)-mannosidase-I from Baculovirus-infected Lepidopteran Insect Cells (IPLB-SF21AE) with Preferential Activity Toward Mannose6-N-Acetylglucosamine2," Biochem., 34(8): 2489-2495. CJ3** Roberts, D.B.: "Drosophila Melanogaster GMII gene, exons 1-5" XP002293614, Database accession no. AJ132715, Abstract, Database EMBL CK3** Romero et al., "Ktr1P is an ∀-1,2-mannosyltransferase of Saccharomyces
CE3** Perez et al., "Transport of Sugar Nucleotides into the Lumen of Vesicles Derived from Rat Liver Rough Endoplasmic Reticulum and Golgi Apparatus," <i>Methods in Enzymology</i> , 138: 709-715 (1987). CF3** Puglielli et al., "Reconstitution, Identification, and Purification of the Rat Liver Golgi Membrane GDP-fucose Transporter," <i>J. Biol. Chem.</i> 274(50): 35596-35600 (1999). CG3** Rabouille et al., "The <i>Drosophila GMII</i> Gene Enclodes Golgi α-mannosidase II," <i>J. Cell Sci.</i> , 1999 October;112(Pt 19): 3319-30. CH3** Raju et al., "Analysis of glycoconjugates," <i>Anal Biochem.</i> 283(2): 123-124 (2000). CI3** Ren et al., "Purification and Properties of a Golgi-Derived (alpha 1,2)-mannosidase-I from Baculovirus-infected Lepidopteran Insect Cells (IPLB-SF21AE) with Preferential Activity Toward Mannose6-N-Acetylglucosamine2," <i>Biochem.</i> , 34(8): 2489-2495. CJ3** Roberts, D.B.: "Drosophila Melanogaster GMII gene, exons 1-5" XP002293614, Database accession no. AJ132715, Abstract, Database EMBL CK3** Romero et al., "Ktr1P is an ∀-1,2-mannosyltransferase of <i>Saccharomyces</i>
Derived from Rat Liver Rough Endoplasmic Reticulum and Golgi Apparatus," <i>Methods in Enzymology</i> , 138: 709-715 (1987). CF3** Puglielli et al., "Reconstitution, Identification, and Purification of the Rat Liver Golgi Membrane GDP-fucose Transporter," <i>J. Biol. Chem.</i> 274(50): 35596-35600 (1999). CG3** Rabouille et al., "The <i>Drosophila GMII</i> Gene Enclodes Golgi α-mannosidase II," <i>J. Cell Sci.</i> , 1999 October;112(Pt 19): 3319-30. CH3** Raju et al., "Analysis of glycoconjugates," <i>Anal Biochem.</i> 283(2): 123-124 (2000). CI3** Ren et al., "Purification and Properties of a Golgi-Derived (alpha 1,2)- mannosidase-I from Baculovirus-infected Lepidopteran Insect Cells (IPLB- SF21AE) with Preferential Activity Toward Mannose6-N- Acetylglucosamine2," <i>Biochem.</i> , 34(8): 2489-2495. CJ3** Roberts, D.B.: "Drosophila Melanogaster GMII gene, exons 1-5" XP002293614, Database accession no. AJ132715, Abstract, Database EMBL CK3** Romero et al., "Ktr1P is an ∀-1,2-mannosyltransferase of <i>Saccharomyces</i>
Apparatus," <i>Methods in Enzymology</i> , 138: 709-715 (1987). CF3** Puglielli et al., "Reconstitution, Identification, and Purification of the Rat Liver Golgi Membrane GDP-fucose Transporter," <i>J. Biol. Chem.</i> 274(50): 35596-35600 (1999). CG3** Rabouille et al., "The <i>Drosophila GMII</i> Gene Enclodes Golgi α-mannosidase II," <i>J. Cell Sci.</i> , 1999 October;112(Pt 19): 3319-30. CH3** Raju et al., "Analysis of glycoconjugates," <i>Anal Biochem.</i> 283(2): 123-124 (2000). CI3** Ren et al., "Purification and Properties of a Golgi-Derived (alpha 1,2)-mannosidase-I from Baculovirus-infected Lepidopteran Insect Cells (IPLB-SF21AE) with Preferential Activity Toward Mannose6-N-Acetylglucosamine2," <i>Biochem.</i> , 34(8): 2489-2495. CJ3** Roberts, D.B.: "Drosophila Melanogaster GMII gene, exons 1-5" XP002293614, Database accession no. AJ132715, Abstract, Database EMBL CK3** Romero et al., "Ktr1P is an ∀-1,2-mannosyltransferase of <i>Saccharomyces</i>
CF3** Puglielli et al., "Reconstitution, Identification, and Purification of the Rat Liver Golgi Membrane GDP-fucose Transporter," <i>J. Biol. Chem.</i> 274(50): 35596-35600 (1999). CG3** Rabouille et al., "The <i>Drosophila GMII</i> Gene Enclodes Golgi α-mannosidase II," <i>J. Cell Sci.</i> , 1999 October;112(Pt 19): 3319-30. CH3** Raju et al., "Analysis of glycoconjugates," <i>Anal Biochem.</i> 283(2): 123-124 (2000). CI3** Ren et al., "Purification and Properties of a Golgi-Derived (alpha 1,2)-mannosidase-I from Baculovirus-infected Lepidopteran Insect Cells (IPLB-SF21AE) with Preferential Activity Toward Mannose6-N-Acetylglucosamine2," <i>Biochem.</i> , 34(8): 2489-2495. CJ3** Roberts, D.B.: "Drosophila Melanogaster GMII gene, exons 1-5" XP002293614, Database accession no. AJ132715, Abstract, Database EMBL CK3** Romero et al., "Ktr1P is an ∀-1,2-mannosyltransferase of <i>Saccharomyces</i>
Liver Golgi Membrane GDP-fucose Transporter," <i>J. Biol. Chem.</i> 274(50): 35596-35600 (1999). CG3** Rabouille et al., "The <i>Drosophila GMII</i> Gene Enclodes Golgi α-mannosidase II," <i>J. Cell Sci.</i> , 1999 October;112(Pt 19): 3319-30. CH3** Raju et al., "Analysis of glycoconjugates," <i>Anal Biochem.</i> 283(2): 123-124 (2000). CI3** Ren et al., "Purification and Properties of a Golgi-Derived (alpha 1,2)-mannosidase-I from Baculovirus-infected Lepidopteran Insect Cells (IPLB-SF21AE) with Preferential Activity Toward Mannose6-N-Acetylglucosamine2," <i>Biochem.</i> , 34(8): 2489-2495. CJ3** Roberts, D.B.: "Drosophila Melanogaster GMII gene, exons 1-5" XP002293614, Database accession no. AJ132715, Abstract, Database EMBL CK3** Romero et al., "Ktr1P is an ∀-1,2-mannosyltransferase of <i>Saccharomyces</i>
35596-35600 (1999). CG3** Rabouille et al., "The <i>Drosophila GMII</i> Gene Enclodes Golgi α-mannosidase II," <i>J. Cell Sci.</i> , 1999 October;112(Pt 19): 3319-30. CH3** Raju et al., "Analysis of glycoconjugates," <i>Anal Biochem.</i> 283(2): 123-124 (2000). CI3** Ren et al., "Purification and Properties of a Golgi-Derived (alpha 1,2)-mannosidase-I from Baculovirus-infected Lepidopteran Insect Cells (IPLB-SF21AE) with Preferential Activity Toward Mannose6-N-Acetylglucosamine2," <i>Biochem.</i> , 34(8): 2489-2495. CJ3** Roberts, D.B.: "Drosophila Melanogaster GMII gene, exons 1-5" XP002293614, Database accession no. AJ132715, Abstract, Database EMBL CK3** Romero et al., "Ktr1P is an ∀-1,2-mannosyltransferase of <i>Saccharomyces</i>
CG3** Rabouille et al., "The <i>Drosophila GMII</i> Gene Enclodes Golgi α-mannosidase II," <i>J. Cell Sci.</i> , 1999 October;112(Pt 19): 3319-30. CH3** Raju et al., "Analysis of glycoconjugates," <i>Anal Biochem.</i> 283(2): 123-124 (2000). CI3** Ren et al., "Purification and Properties of a Golgi-Derived (alpha 1,2)-mannosidase-I from Baculovirus-infected Lepidopteran Insect Cells (IPLB-SF21AE) with Preferential Activity Toward Mannose6-N-Acetylglucosamine2," <i>Biochem.</i> , 34(8): 2489-2495. CJ3** Roberts, D.B.: "Drosophila Melanogaster GMII gene, exons 1-5" XP002293614, Database accession no. AJ132715, Abstract, Database EMBL CK3** Romero et al., "Ktr1P is an ∀-1,2-mannosyltransferase of <i>Saccharomyces</i>
II," <i>J. Cell Sci.</i> , 1999 October;112(Pt 19): 3319-30. CH3** Raju et al., "Analysis of glycoconjugates," <i>Anal Biochem</i> . 283(2): 123-124 (2000). CI3** Ren et al., "Purification and Properties of a Golgi-Derived (alpha 1,2)-mannosidase-I from Baculovirus-infected Lepidopteran Insect Cells (IPLB-SF21AE) with Preferential Activity Toward Mannose6-N-Acetylglucosamine2," <i>Biochem.</i> , 34(8): 2489-2495. CJ3** Roberts, D.B.: "Drosophila Melanogaster GMII gene, exons 1-5" XP002293614, Database accession no. AJ132715, Abstract, Database EMBL CK3** Romero et al., "Ktr1P is an ∀-1,2-mannosyltransferase of <i>Saccharomyces</i>
CH3** Raju et al., "Analysis of glycoconjugates," <i>Anal Biochem</i> . 283(2): 123-124 (2000). Cl3** Ren et al., "Purification and Properties of a Golgi-Derived (alpha 1,2)-mannosidase-I from Baculovirus-infected Lepidopteran Insect Cells (IPLB-SF21AE) with Preferential Activity Toward Mannose6-N-Acetylglucosamine2," <i>Biochem.</i> , 34(8): 2489-2495. CJ3** Roberts, D.B.: "Drosophila Melanogaster GMII gene, exons 1-5" XP002293614, Database accession no. AJ132715, Abstract, Database EMBL CK3** Romero et al., "Ktr1P is an ∀-1,2-mannosyltransferase of <i>Saccharomyces</i>
(2000). CI3** Ren et al., "Purification and Properties of a Golgi-Derived (alpha 1,2)- mannosidase-I from Baculovirus-infected Lepidopteran Insect Cells (IPLB- SF21AE) with Preferential Activity Toward Mannose6-N- Acetylglucosamine2," <i>Biochem.</i> , 34(8): 2489-2495. CJ3** Roberts, D.B.: "Drosophila Melanogaster GMII gene, exons 1-5" XP002293614, Database accession no. AJ132715, Abstract, Database EMBL CK3** Romero et al., "Ktr1P is an ∀-1,2-mannosyltransferase of <i>Saccharomyces</i>
CI3** Ren et al., "Purification and Properties of a Golgi-Derived (alpha 1,2)- mannosidase-I from Baculovirus-infected Lepidopteran Insect Cells (IPLB- SF21AE) with Preferential Activity Toward Mannose6-N- Acetylglucosamine2," <i>Biochem.</i> , 34(8): 2489-2495. CJ3** Roberts, D.B.: "Drosophila Melanogaster GMII gene, exons 1-5" XP002293614, Database accession no. AJ132715, Abstract, Database EMBL CK3** Romero et al., "Ktr1P is an ∀-1,2-mannosyltransferase of <i>Saccharomyces</i>
mannosidase-I from Baculovirus-infected Lepidopteran Insect Cells (IPLB-SF21AE) with Preferential Activity Toward Mannose6-N-Acetylglucosamine2," <i>Biochem.</i> , 34(8): 2489-2495. CJ3** Roberts, D.B.: "Drosophila Melanogaster GMII gene, exons 1-5" XP002293614, Database accession no. AJ132715, Abstract, Database EMBL CK3** Romero et al., "Ktr1P is an ∀-1,2-mannosyltransferase of <i>Saccharomyces</i>
SF21AE) with Preferential Activity Toward Mannose6-N-Acetylglucosamine2," <i>Biochem.</i> , 34(8): 2489-2495. CJ3** Roberts, D.B.: "Drosophila Melanogaster GMII gene, exons 1-5" XP002293614, Database accession no. AJ132715, Abstract, Database EMBL CK3** Romero et al., "Ktr1P is an ∀-1,2-mannosyltransferase of <i>Saccharomyces</i>
Acetylglucosamine2," <i>Biochem.</i> , 34(8): 2489-2495. CJ3** Roberts, D.B.: "Drosophila Melanogaster GMII gene, exons 1-5" XP002293614, Database accession no. AJ132715, Abstract, Database EMBL CK3** Romero et al., "Ktr1P is an ∀-1,2-mannosyltransferase of <i>Saccharomyces</i>
CJ3** Roberts, D.B.: "Drosophila Melanogaster GMII gene, exons 1-5" XP002293614, Database accession no. AJ132715, Abstract, Database EMBL CK3** Romero et al., "Ktr1P is an ∀-1,2-mannosyltransferase of Saccharomyces
XP002293614, Database accession no. AJ132715, Abstract, Database EMBL CK3** Romero et al., "Ktr1P is an ∀-1,2-mannosyltransferase of Saccharomyces
EMBL CK3** Romero et al., "Ktr1P is an ∀-1,2-mannosyltransferase of Saccharomyces
CK3** Romero et al., "Ktr1P is an ∀-1,2-mannosyltransferase of Saccharomyces
cerevisiae," Biochem. J., 321 (Pt 2): 289-295 (1997).
CL3** Romero et al., "Mutation of Arg ²⁷³ to Leu Alters the Specificity of the Yeast
N-Glycan Processing Class I ∀1,2-Mannosidase, "J. Biol. Chem,
275(15):11071-11074 (2000).
CM3** Ruther et al., "c-fos expression interferes with thymus development in
transgenic mice," Cell 53(6): 847-856 (1988).
CN3** Schachter et al., "The 'Yellow Brick Road' to Branched Complex N-glycans,"
Glycobiology 1(5): 453-461, 1991.
CO3** Sato et al., "Arabidopsis Thaliana DNA Chromosome 5, BAC clone F2G14
(Essa project)", XP002293613, Database accession no AL391146, gene
"F2G14 70" encoding "alpha-mannosidase-like protein" of
protein_id="CACO1814.1" Abstract, Database EMBL 7 August 2000
raminer /Coline Oign/

Examiner	/Celine Qian/	Date	04/10/2007
Signature	/ocinic dian/	Considered	

S.,,	ostitute for form 1449A/B/	PTO		Complete if Known		
301	January 101 101111 14401 1011			Application Number	10/680,963	
1 11	NFORMATIO	N DIS	CLOSURE	Filing Date	October 7, 2003	
S	TATEMENT	BY AF	PPLICANT	First Named Inventor	Piotr Bobrowicz	
				Art Unit	1636	
ŀ	(Use as many s	sheets as ne	ecessary)	Examiner Name	Not yet assigned	
Sheet	10	of	12	Attorney Docket Number	GFI/108 CIP	

/CQ/	CP3**	Satou and SatoH: "Ciona Intestinalis cDNA, clone: cieg014e11, full insert sequence." XP002293611, Database accession no. AK116684, the whole document, Database EMBL	
	CQ3**	Schneikert et al., "Characterization of a Novem Mouse Recombinant Processing alpha-mannosidase," <i>Glycobiology</i> , 4(4):445-450 (1994).	
	CR3**	Schwientek et al., "Golgi Localization in Yeast is Mediated by the Membrane Anchor Region in Rat Liver Sialyltransferase," <i>J. Biol. Chem.</i> , 270(10):5483-5489 (1995).	
	CS3**	Segawa et al., "Schizosaccharomyces pombe UDP-galatose transporter: identification of its functional form through cDNA cloning and expression in mammalian cells," FEBS Letters, 451(3): 295-298 (1999).	
		Shinn et al: "Arabidopsis Thaliana AT5g14950/F2G14_70 mRNA, complete cds." XP002293612, Database accession no. AY052707, Abstract, Database EMBL	
	CU3**	Sikorski et al., "A system of shuttle vectors and yeast host strains designed for efficient manipulation of DNA in <i>Saccharomyces cerevisiae</i> ," <i>Genetics</i> 122(1): 19-27 (1989).	
	CV3**	Soderholm et al. "Vector for pop-in/pop-out Gene Replacement in <i>Pichia pastoris</i> ," <i>Biotchniques</i> , 31 (2):306-10 (2001).	
		Sommers et al., "Transport of Sugar Nucleotides into Rat Liver Golgi," J. Cell Biol., 91(2): A406-A406 (1981).	
	CX3**	Sommers et al., "Transport of Sugar Nucleotides into Rat Liver Golgi. A New Golgi Marker Activity," <i>J Biolog Chem</i> , 257(18): 10811-10817 (1982).	
	CY3··	Staub et al., "High-yield production of a human therapeutic protein in tobacco chloroplasts," <i>Nature Biotechnology</i> 18(3): 333-338 (2000).	
	CZ3**	Stix, "Supercharging Protein Manufacture," Scientific Amer., Jan. 2004: 32-33.	
	CA4**	the Filamentous Fungus Aspergillus Niger," <i>J. Biotechnol.</i> , 76(2-3): 245-251 (200).	
		Swiss Prot P11655.	
		Swiss Prot P32906	
		Swiss Prot P39107	
		Swiss Prot P50108	L
		Swiss Prot P53008	L
Ψ	CG4**	Takeuchi, "Trial for molecular breeding of yeast for the production of glycoprotein therapeutics," <i>Trends in Glycoscience and Glycotechnology</i> 9:S29-S35 (1997).	

Examiner	(Calina Olan)	Date	04/10/2007
Signature	/Celine Qian/	Considered	0 0/200.

	substitute for form 1449A/E	3/PTO		Complete if Known		
				Application Number	10/680,963	
	NFORMATIC	ON DISC	CLOSURE	Filing Date	October 7, 2003	
	STATEMENT	T BY AP	PLICANT	First Named Inventor	Piotr Bobrowicz	
				Art Unit	1636	
	(Use as many	sheets as ne	cessary)	Examiner Name	Not yet assigned	
Shee	t 1.1	of	12	Attorney Docket Number	GFI/108 CIP	

/C0			Umaña et al., "Engineered Glycoforms of an Antineuroblastoma IgG1 with Optimized Antibody-Dependent Cellular Cytotoxic Activity," <i>Nature Biotechnology</i> , 17(1):176-80 (1999).	
glycosyltransferases in Chinese ham		CI4	Umana et al., "Tetracycline-regulated overexpression of glycosyltransferases in Chinese hamster ovary cells," <i>Biotechnol. Bioeng.</i> 65(5):542-549 (1999)	
		CJ4**	Ware et al., "Expression of Human Platelet Glycoprotein lb-Alpha in Transgenic Mice," <i>Thrombosis and Haemostasis</i> 69(6): 1194-1194 (1993).	
		CK4**	Weikert et al., "Engineering Chinese Hamster Ovary Cells to Maximize Sialic Acid Content of Recombinant Glycoproteins", <i>Nature Biotechnology</i> , 17(11): 1116-1121, November, 1999.	
П		CL4**		
		СМ4**	Wiggins et al., "Activity of the yeast MNN1 alpha-1,3-mannosyltransferase requires a notif conserved in many other families of glycosyltransfereases," <i>Proc. Nat. Acad. Sci. USA</i> 95(14): 7945-7950 (1998).	
		CN4**	Yamashita et al., "An α–Mannosidase purified from Aspergillus Saitoi is specific for α1,2 linkages," <i>Biochemical and Biophysical Research Communications</i> 96(3): 1335-1342.	
		CO4**	Yang et al., "Glycosylation and proteolytic processing of 70 kDa C-terminal recombinant polypeptides of <i>Plasmodium falciparum</i> merozoite surface protein 1 expressed in mammalian cells," <i>Glycobiology</i> , 9(12): (1999) 1347-55.	
		CP4**	Yang et al., "Effects of Ammonia on CHO Cell Growth, Erythropoietin Production, and Glycosylation", <i>Biotechnol Bioeng.</i> , 68(4): 370-80 (2000).	
		CQ4**	Yip et al., "Cloning and analysis of the Saccharomyces cerevisiae MNN9 and MNN1 genes required for complex glycosylation of secreted proteins," Proc. Natl. Acad. Sci. USA, 91(7): 2723-2727 (1994).	
		CR4**	Yoko-o et al., "Schizosaccharomyces Pombe Och1(+) Encodes Alpha-1,6- Mannosyltranferase that is involved in Outer Chain Elongation of N-Linked Oligosaccharides," FEBS Lett., 489(1): 75-80 (2001).	
		CS4**	Yoshida et al., "1-2-alpha-D- mannosidase from Penicillium citriunum: molecular and enzymic properties of two isoenzymes," <i>Biochem. J.</i> 290 (Pt2): 349-354 (1993).	
			Yoshida et al., "Expression and charaterization of rat UDP-N-acetylgluocosamine: α-3-D-mannoside β-1,2-N-acetylglucosaminyltransferase I in Saccharomyces cerevisiae," Glycobiology, 9 (1): 53-58 (1999).	
		CU4**	Genbank Accession No. AF005034	

Examiner Signature	/Celine Qian/	Date Considered	04/10/2007

Subs	stitute for form 1449A/B/P	то		Complete If Known		
1				Application Number	10/680,963	
IN	FORMATIOI	N DI	SCLOSURE	Filing Date	October 7, 2003	
S	TATEMENT	BY /	APPLICANT	First Named Inventor	Piotr Bobrowicz	
_				Art Unit	1636	
	(Use as many sheets as necessary)			Examiner Name	Not yet assigned	
Sheet	12	of	12	Attorney Docket Number	GFI/108 CIP	

/CQ/	CV4**	Genbank Accession No. AF106080		
	CW4**	Genbank Accession No. AK116684		
	CX4**	Genbank Accession No. D55649		
	CY4**	Genbank Accession No. NM_073594		П
	CZ4**	Genbank Accession No. NM_121499		
	CA5**	Genbank Accession No. U31520		Γ
	CB5**	Genbank Accession No. X77652	6.4	
	CC5**	Genbank Accession No. XM_218816		
	CD5**	Genbank Accession No. NM 002406		Г
	CE5**	Genbank Accession No. CAA98114	*	
	CF5**	Genbank Accession No. NM_088548 (Genbank AN 6678787)		
	CG5**	Genbank Accession No. NM006715		Γ
	CH5**	Genbank Accession No. X77652		Γ
1/	CI5**	Genbank Accession No. X61172		
V	CJ5**	Genbank Accession No. NM_000528		

	(Digitally signed by Celine Qian		
Examiner Signature	Celine Qian, ON: car-Celine Qian, c=US, 0=USPTO, out=1636, email-celine, qiangjuspto,gov Date: 2007.04.10 17:19:45-04007	Date Considered	



U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

ATTY. DOCKET NO. GFI-108	SERIAL NO. 10/680,963
APPLICANT	
Piotr Bobrowicz	· .
FILING DATE	GROUP
October 7, 2003	N/A

U.S. PATENT DOCUMENTS

EXAMINER INITIALS	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
/CQ/	2003/0175884	09/2003	Umana et al.			
	6,602,684	08/2003	Umana et al.			
	6,017,743	01/2000	Tsuji et al.			
	5,962,294	10/1999	Paulson et al.			
	5,955,422	09/1999	Lin		•	
	5,955,347	09/1999	Lowe			*
<u> </u>	5,910,570	06/1999	Elhammer et al.			
	5,849,904	12/1998	Gerardy-Schahn et al.			
	5,834,251	11/1998	Maras et al.			
	5,766,910	06/1998	Fukuda et al.			
	5,707,828	01/1998	Sreekrishna et al.			
	5,595,900	01/1997	Lowe			
	5,135,854	08/1992	Mackay et al.	10		
	5,047,335	09/1991	Paulson et al.			
	4,935,349	06/1990	McKnight et al.			
	4,925,796	05/1990	Bergh et al.			
V	4,775,622	10/1988	Hitzemann et al.			

FOREIGN PATENT DOCUMENTS

EXAMINER	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
INITIALS						YES	NO
7CQ/	WO 03/011878	02/2003	WIPO				
	WO 02/00879	01/2002	WIPO				
	WO 02/00856 A2	01/2002	WIPO				
	WO 01/14522	03/2001	WIPO				,
	WO 99/54342	10/1999	WIPO				
LV_	8-336387	08/1996	Japan				х

EXAMINER

/Celine Qian/

DATE CONSIDERED 04/10/2007



U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

ATTY. DOCKET NO.	SERIAL NO.
GFI-108	10/680,963
APPLICANT	
Piotr Bobrowicz	
FILING DATE	GROUP
October 7, 2003	N/A .

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

EXAMINER INITIALS			
/CQ/	Abdel-Salam et al., "Expression of mouse anticreatine kinase (MAK33) monoclonal antibody in the yeast Hansenula polymorpha", Appl. Microbiol. Biotechnol., 56:157-164 (2001)		
	Abeijon et al., "Molecular Cloning of the Golgi apparatus uridine diphosphate-N-acetylglucosamine transporter from Kluyveromyces lactis" Proc. Natl. Acad. Sci. USA 93:5963-5968 (1996)		
	Alani et al., "A Method for Gene Disruption That Allows Repeated Use of URA3 Selection in the Construction of Multiply Disrupted Yeast Strains" Genetics 116:541-545 (1987)		
	Altschul et al., "Basic Local Alignment Search Tool", J. Mol. Biol. 215:403-410 (1990)		
	Altschul et al., "Gapped BLAST and PSI-BLAST: a new generation of protein database search programs", Nucleic Acids Res. 25:3389-3402 (1997)		
	Anderson et al., "The effect of sell-culture conditions on the oligosaccharide structures of secreted glycoproteins", Curr Opin Biotechnol. 5(5):546-49 (1994)		
	Aoki et al., "Expression and activity of chimeric molecules between human UDP-galactose transporter and CMP sialic acid transporter", J. Biochem. (Tokyo), 126(5):940-50 (1999)		
	Beaudet et al., "High-level expression of mouse Mdr3 P-glycoprotein in yeast <i>Pichia pastoris</i> and characterization of ATPase activity", <i>Methods Enzymol.</i> , 292:397-413 (1998)		
	Berka et al., "The Filamentous Fungus Aspergillus niger var. Awamori as Host for the Expression and Secretion of Fungal and Non-Fungal Heterologous Proteins", Abstr. Papers Amer. Chem. Soc. 203:121-BIOT (1992)		
	Berninsone et al., "Functional Expression of the Murine Golgi CMP-Sialic Acid Transporter in Saccharomyces cerevisiae", J. Biol. Chem. 272(19):12616-9 (1997)		
	Berninsone et al., "Regulation of Yeast Golgi Glycosylation", J. Biol. Chem. 270(24):14564-14567 (1995)		
	Berninsone et al., "The Golgi guanosine diphophatase is required for transport of GDP-mannose into the lumen of Saccharomyces cerevisiae Golgi vesicles", J. Biol. Chem., 269(1):207211 (1994)		
	Bianchi et al., "Transformation of the yeast Kluyweromyces lactis by new vectors derived from the 1.6 µm circular plasmid pKD1", Current Genetics, 12:185-192 (1987)		
	Boehm et al., "Disruption of the KEX1 Gene in Pichia pastoris Allows Expression of Full-Length Murine and Human Endostatin", Yeast, 15:563-572 (1999)		
	Boeke et al., "A positive selection for mutants lacking orotidine-5'-phosphate decarboxylase activity in yeast: 5-fluoro-orotic acid resistance", Mol. Gen. Genet. 197:345-346 (1984)		
	Bonneaud et al., "A family of low and high copy replicative, integrative and single-stranded S. cerevisiae/E. coli shuttle vectors", Yeast, 7:609-615 (1991)		
V	Borreback et al., "Human momoclonal antibodies produced by primary in vitro immunization of peripheral blood lymphocytes", Proc. Natl. Acad. Sci. USA, 85:3995-3999 (1988)		

EXAMINER

/Celine Qian/

DATE CONSIDERED

DEC 0 4 2003 S

FORM 150-1449

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

ATTY. DOCKET NO.	SERIAL NO.
GFI-108	10/680,963
APPLICANT	
Piotr Bobrowicz	
FILING DATE	GROUP
October 7, 2003	N/A

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

EXAMINER INITIALS				
/CQ/	Bretthauer et al., "Glycosylation of <i>Pichia pastoris</i> -derived proteins", <i>Biotehcnology and Applied Biochemistry</i> 30:193-200 (1999)			
	Buckel et al., "Cloning and nucleotide sequence of heavy- and light-chain cDNAs from a creatine-kinase-specific monoclonal antibody", Gene, 51:13-19 (1987)			
	Cadwell and Joyce, "Randomization of Genes by PCR Mutagenesis", PCR Methods Applic. 2:28-33 (1992)			
	Callewaert et al., "Use of HDEL-tagged Trichoderma reesei mannosyl oligosaccharide 1,2-α-D-mannosidase for N-glycan engineering in Pichia pastoris", FEBS Lett. 503(2-3):173-8 (2001)			
	Cereghino et al., "Heterologous protein expression in the methylotrophic yeast <i>Pichia pastoris</i> ", FEMS Microbiology Reviews, 24(1):45-66 (2000)			
	Cereghino et al., "New selectable marker/auxotrophic host strain combinations for molecular genetic manipulation of <i>Pichia pastoris</i> ", <i>Gene</i> , 263:159-169 (2001)			
	Chiba et al., "Production of Human Compatible High Mannose-type Sugar Chains in Saccharomyces cerevisiae J. Biol. Chem., 273(41):26298-26304 (1998)			
	Choi et al., "Use of combinatroial genetic libraries to humanize N-linked glycosylation in the yeast Pichia pastoris", Proc. Natl. Acad. Sci. USA 100:5022-5027 (2003)			
	Davidson et al., "A PCR-based strategy to generate integrative targeting alleles with large regions of homology" Microbiol., 148(Pt8):2607-15 (2002)			
	Davies et al., "Expression of GnTIII in a Recombinant Anti-CD20 CHO Production Cell Line: Expression of Antibodies with Altered Glycoforms Leads to an Increase in ADCC Through Higher Affinity for FcγRIII", Biotechnol. Bioeng., 74(4):288-294 (2001)			
	Dennis et al., "Protein glycosylation in development and disease", Bioessays, 21(5):412-21 (1999)			
	Eades et al., "Characterization of the Class I o-mannosidase gene family in the filamentous fungus Aspergillus nidulans", Gene, 255(1):25-34 (2000)			
	Eckhardt et al., "Molecualr cloning of the hamster CMP-sialic acid transporter", Eur. J. Biochem., 248(1):187-192 (1997)			
	Gavel, et al., "Sequence differences between glycosylated and non-glycosylated Asn-X-Thr/Ser acceptor sites: implications for protein engineering", <i>Protein Eng.</i> , 3:433-42 (1990)			
	Gleeson, Paul A. "Targeting of proteins to the Golgi apparatus", Histochem. Cell Biol., 109:517-532 (1998)			
	Goochee et al., "The Olgosaccharides of Glycoproteins: Bioprocess Factors Affecting Oligosaccharide Structure and Their Effect on Glycoprotein Properties", <i>Biotechnology</i> , 9(12):1347-55 (1999)			
V	Graham et al., "Compartmental Organization of Golgi-specific Protein Modification and Vacuolar Protein Sorting Events Defined in Yeast sec18 (NSF) Mutant", J. Cell. Biol., 114(2):207-218 (1991)			

EXAMINER

/Celine Qian/

DATE CONSIDERED



FORM PZ -1449

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

	10
ATTY. DOCKET NO.	SERIAL NO.
GFI-108	10/680,963
APPLICANT	
Piotr Bobrowicz	
FILING DATE	GROUP
October 7, 2003	N/A

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

EXAMINER INITIALS	
/CQ/	Grasziano et al., "Construction and Characterization of a Humanized Anti-γ-lg Receptor Type I (FcγRI) Monoclonal Antibody", J. Immunol., 155(10):4996-5002 (1995)
	Guillen et al., "Mammalian Golgi apparatus UDP-N-acetylglucosamine transporter: Molecular cloning by phenotypic correction of a yeast mutant", Proc. Natl. Acad. Sci. USA, 95(14):7888-7892 (1998)
	Hamilton et al., "Production of Complex Human Glycoproteins in Yeast", Science, 301:1244-46 (2003)
	Harkki et al., "A Novel Fungal Expression System: Secretion of Active Calf Chymosin From the Filamentous Fungus Trichoderma reesei", Biotechnical Laboratory, 7(6):596 (1989)
	Hayes et al., "Carbohydrate Compositions of the Rabbit Plasminogen Isozymes", J. Arch. Biochem. Biophys., 171:651-655 (1975)
	Hernandez et al., "Structure of the Phosphorylated N-Linked Oligosaccharides from the mnn9 and mnn10 Mutants of Saccharomyces cerevisiae", The Journal of Biological Chemistry, 264(23):13648-13659 (1989)
	Huffaker et al., "Yeast mutants deficient in protein glycosylation", Proc. Natl. Acad. Sci. USA, 80(24):7466-70 (1983)
	Ishida et al., "Molecular Cloning and Characterization of a Novel Isoform of the Human UDP-Galactose Transporter, and of Related Complementary DNAs Belonging to the Nucleotide-Sugar Transporter Gene Family", J. Biochem., (Tokyo) 120(6):1074-1078 (1996)
	Ishida et al., "Molecular Cloning and Functional Expression of the Human Golgi UDP-N-Acetylglucosamine Transporter", J. Biochem., 126(1):68-77 (1999)
	Jarvis et al., "Engineering N-glycosylation pathways in the baculovirus-insect cell system", Current Opinion in Biotechnology, 9:528-533 (1998)
	Jefferis, "Glycosylation of Human IgG Antibodies", Biopharm., 14:19-26 (2001)
	Kainuma, "Coexpression of α1,2 galactosyltransferase and UDP-galactose transporter efficiently galatosylates A and O-glycan in Saccharomyces cerevisiae", Glycobiology, 9(2): 133-141 (1999)
	Kalsner et al., "Insertion into Aspergillus nidulans of functional UDP-GlcNAc: α3-D-mannoside β-1,2-N-acetylglucosaminyl-transferase I, the enzyme catalysing the first committed step from oligomannose to hybrid and complex N-glycans" Glycoconj. J., 12(3):360-370 (1995)
	Khatra et al., "Some Kinetic Properties of Human-Milk Galactosyl Transferase", Eur. J. Biochem., 44:537-560 (1974)
	Krezdorn et al., "Human β1,4 galactosyltransferase and α2,6 sialytransferase expressed in Saccharomyces cerevisiae are retained as active enzymes in the endoplasmic reticulum", Eur. J. Biochem., 220(3):809-17 (1994)
\bigvee	Lagerkvist et al., "Single, Antigen-Specific B Cells Used to Generate Fab Fragments Using CD40-Mediated Amplification or Direct PCR Cloning", Biotechniques, 18:862-869 (1995)

EXAMINER

/Celine Qian/

DATE CONSIDERED 04/1

DEC 0 4 2003 55

FORM BTO-1449

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

ATTY. DOCKET NO.	SERIAL NO.
GFI-108	10/680,963
APPLICANT	
Piotr Bobrowicz	
FILING DATE	GROUP.
October 7, 2003	N/A


OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

EXAMINER INITIALS	
/CQ/	Lal et al., "Sustrate specificities of recombinant murine Golgi α1,2-mannosidases IA and IB and comparison with endoplasmic reticulum and Golgi processing α1,2-mannosidases", Glycobiology, 8(10)981-95 (1998)
	Leung et al., "A Method for Random Mutagenesis of a Defined DNA Segment Using a Modified Polymerase Chain Reaction", Technique, 1:11-15 (1989)
	Lu et al., "Cloning and disruption of the β-isopropylmalate dehydrogenase gene (LEU2) of Pichia stipitis with URA3 and recovery of the double auxotroph", Appl. Microbiol. Biotechnol. 49:141-146 (1998)
	Madden et al., "Applications of Network BLAST Server", Meth. Enzymol., 266:131-141 (1996)
	Malissard et al., "Expression of Functional Soluble Forms of Human β-1,4-Galactosyltransferase I, α-2,6-Sialytransferase, and α-1,3-Fucosyltransferase VI in the Methylotrophic Yeast Pichia pastoris", Biochemical and Biophysical Research Communications, 267:169-173 (2000)
	Maras et al., "In vitro conversion of the carbohydrate moiety of fungal glycoproteins to mammalian-type oligosaccharides", Eur. J. Biochem., 249:701-707 (1997)
	Martinet et al., "Modification of the protein glycosylation pathway in the methylotrophic yeast <i>Pichia pastoris</i> " Biotechnology Letters, 20:1171-1177 (1998)
	Miele et al., "Glycosylation properties of the <i>Pichia pastoris</i> -expressed recombinant kringle 2 domain of tissue-type plasminogen activator", <i>Biotechnol. Appl. Biochem.</i> , 25:151-157 (1997)
	Moens et al., "Glycoproteins in prokaryotes", Arch Microbiol. 168(3):169-175 (1997)
	Morin-Ganet et al., "Morphogenesis and Dynamics of the Yeast Golgi Apparatus", Traffic, 1(1):56-68 (2000)
	Nakanishi-Shindo et al., "Structure of the N-Linked Oligosaccharides That Show the Complete Loss of α-1,6-Polymannose Outer Chain from och1, och1 mnn1, and och1 mnn1 alg3 Mutants in Saccharomyces cerevisiae" J Biol. Chem., 268(35):26338-45 (1993)
	Nakayama et al., "OCH1 encodes a novel membrane bound mannosyltransferase:outer chain elongation of asparagine-linked oligosaccharides" EMBO J., 11(7):2511-19 (1992)
	Nakayama et al., "Substrate specificity of α-1,6-mannosyltransferase that initiates N-linked mannose outer chain elogation in Saccharomyces cerevisiae", FEBS Lett., 412(3):547-50 (1997)
	Narasimhan et al., "Control of Glycoprotein Synthesis", J. Biol. Chem., 257:10235:42 (1982)
	Neiman et al., "Saccharomyces cerevisiae HOC1, a Supressor of pkc1, Encodes a Putative Glycosyltransferase", Genetics, 145(3):637-45 (1997)
	Ogunjimi et al., "High-level secretory expression of immunologically active intact antibody from the yeast Pichi pastoris", Biotechnology Letters, 21:561-567 (1999)
\forall	Orlandi et al., "Clonning immunoglobulin variable domains for expression by the polymerase chain reaction", Proc. Natl. Acad. Sci. USA, 86:3833 (1988)

EXAMINER

/Celine Qian/

DATE CONSIDERED



FORM PO-1449

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

ATTY. DOCKET NO.	SERIAL NO.
GFI-108	10/680,963
APPLICANT	
Piotr Bobrowicz	
FILING DATE	GROUP
October 7, 2003	N/A

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

EXAMINER INITIALS	·
/CQ/	Papac et al., "A high-throughput microscale method to release N-linked oligosaccharides from glycoproteins for matrix-assisted laser desorption/ionization time-of-flight mass spectrometric analysis", A.J.S., Glycobiology, 8:445-454 (1998)
	Pearson, "Rapid and Sensitive Sequence Comparison with FASTP and FASTA", Methods Enzymol. 183:63-98 (1990)
	Perez et al., "Transport of Sugar Nucleotides into the Lumen of Vesicles Derived from Rat Liver Rough Endoplasmic Reticulum and Golgi Apparatus", Methods in Enzymology, 138:709-715 (1987)
	Puglielli et al., "Reconstitution, Identification, and Purification of the Rat Liver Golgi Membrane GDP-fucose Transporter", J. Biol. Chem. 274(50):35596-35600 (1999)
	Raju et al., "Species-specific variation in glycosylation of IgG: evidence for the species-specific sialyation and branch-specific galactosylation and importance for engineering recombinant glycoprotein therapeutics", Glycobiology, 10(5):477-486 (2000)
	Raschke et al., "Genetic Control of Yeast Mannan Structure", J. Biol. Chem. 248(13):4660-66 (1973)
	Recinos et al., "Sequences of cDNAs encoding immunoglobulin heavy- and light-chain variable regions from two anti-dioxin monoclonal antibodies", Gene, 149:385-386 (1994)
	Recinos et al., "Sequences of cDNAs encoding immunoglobulin heavy- and light-chain variable regions from two anti-dioxin monoclonal antibodies", Gene, 158:311-312 (1995)
	Reidhaar-Olson et al., "Combinatorial Cassette Mutagenesis as a Probe of the Informational Content of Protein Sequences", Science, 241:53-57 (1988)
	Romero et al., "Mutation of Arg273 to Leu Alters the Specificity of the Yeast N-Glycan Processing Class I α1,2 Mannosidase", J. Biol. Chem., 275(15):11071-4 (2000)
	Rothstein et al., "Targeting, Disruption, Replacement, and Allele Rescue: Integrative DNA Transformation in Yeast", Methods in Enzymology, 194:281 (1991)
	Sambrook et al., "Hybridization of Radiolabeled Probes to Immobilized Nucleic Acids", Molecular Cloning: A Laboratory Manual, 2d ed., Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y. (1989), pp.9.51
	Schwientek et al., "Golgi Localization in Yeast is Mediated by the Membrane Anchor Region in Rat Liver Sialyltransferase", J. Biol. Chem., 270(10):5483-5489 (1995)
	Segawa, "Schizosaccharomyces pombe UDP-galatose transporter: identification of its functional form through cDNA cloning and expression in mammalian cells", FEBS Letters, 451(3):295-298 (1999)
	Sikorski et al., "A system of Shuttle Vectors and Yeast Host Strains Designed for Efficient Manipulation of DN in Saccharomyces cerevisiae", Genetics, 122:19-27 (1989)
	Soderholm et al., "Vector for Pop-In/Pop-Out Gene Replacement in Pichia pastoris", Biotechniques, 31(2):306-10 (2001)
Ψ	Sommers et al., "Transport of Sugar Nucleotides into Rat Liver Golgi", J. Cell Biol., 257(18):811-817 (1982)

EXAMINER

/Celine Qian/

DATE CONSIDERED



FORM PTS-1449

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

ATTY. DOCKET NO.	SERIAL NO.
GFI-108	10/680,963
APPLICANT	
Piotr Bobrowicz	
FILING DATE	GROUP
October 7, 2003	N/A

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

EXAMINER NITIALS	
/CQ/	Sommers et al., "Transport of Sugar Nucleotides into Rat Liver Golgi", J. Cell Biol., 91(2):A406 (1981)
	Stanley et al., "Complementation between Mutants of CHO Cells Resistant to a Variety of Plant Lectins", Somatic Cell Genet 3(4):391-405 (1977)
	Svetina et al., "Expression of catalytic subunit of bovine enterokinase in the filamentous fungus Aspergillus niger", J. Biotechnol., 76(2-3): 245-251 (2000)
	Takeuchi, "Trial for Molecular Breeding of Yeast for the Production of Glycoprotein Therapeutics", Trends in Glycoscience and Glycotechnology, 9:S29-S35 (1997)
	Terness et al., "Idiotypic Vaccine for Treatment of Human B-Cell Lymphoma", Hum. Immunol., 56:17-27 (199
	Tremblay et al., "Molecular cloning, chromosomal mapping and tissue-specific expression of a novel human α1,2-mannosidase gene involved in N-glycan maturation", Glycobiology, 8(6):585-595, (1998)
	Tsuji-Hayashi et al., "A Potential Endogenous Ligand of Annexin IV in the Exocrine Pancreas", The Journal of Biological Chemistry, 277(49):47493-47499 (2002)
	Umana et al., "Engineered glycoforms of an antineuroblastoma IgG1 with optimized antibody-dependent cellular cytotoxic activity", Nat. Biotechnol., 17(2):176-80 (1999)
	Umana et al., "Tetracycline-Regulated Overexpression of Glycosyltransferase in Chinese Hamster Ovary Cells" Biotechnol. Bioeng., 65(5):542-9 (1999)
	Weikert et al., "Engineering Chinese hamster ovary cells to maximize sialic acid content of recombinant glycoproteins", Nature Biotechnology, 17:1116-1121 (1999)
	Welschof et al., "Amino acid sequence based PCR primers for amplification of rearranged human heavy and lig chain immunoglobulin variable region genes", J. Immunol. Methods, 179:203-214 (1995)
	Werner et al., "Appropriate Mammalian Expression Systems for Biopharmaceuticals", Arzneimittelforschung, 48(8):870-80 (1998)
	Yang et al., "Effects of Ammonia on CHO Cell Growth, Erythropoietin Production, and Glycosylation", Biotech Bioeng., 68:370-80 (2000)
	Yip et al., "Cloning and analysis of the Saccharomyces cerevisiae MNN9 and MNN1 genes required for comple glycosylation of secreted proteins", Proc. Natl. Acad. Sci. USA, 91(7):2723-7 (1994)
	Yoshida et al., "Expression and characterization of rat UDP-N-acetylglucosamine: α -3-D-mannoside β -1,2-N-acetylglucosaminyltransferase I in Saccharomyces cerevisiae", Glycobiology, 9(1):53-8 (1999)
Ψ	Zhang and Madden, "PowerBLAST: A New Network BLAST Application for Interactive or Automated Sequence Analysis and Annotation", Genome Res. 7:649-656 (1997)

EXAMINER Celine Qian Digitally signed by Celine Qian C=US, 0=USPTO, Dug-1636, email=celine.qian@uspto.gov Date: 2007.04.10 17:27:37 -04'00'

DATE CONSIDERED